


MLS-CONTOUR

RECESSED MOUNT



EStee Lauder Offices/NYC



Direct
opal diffuser

The Mercury Lighting CONTOUR series showcases specific, modern curves in recessed and pendant versions. The fluid shapes offer soft, even lighting, ideal for architectural settings.

MATERIAL

Extruded aluminum / powder coat finish

STANDARD COLORS

White / Black / Gray

SPECIFICATIONS

Lumens 400-750 lm/feet

CRI 90

Voltage 120-277V



Rating IP20

Fixture type:


Job information:

--	--

DIMENSIONS



CATALOG NUMBERS



1	2	3	4	6
SERIES	MOUNTING	RADII	LUMENS/FT	COLOR TEMP
<input type="checkbox"/> MLS2-CTR	<input type="checkbox"/> G Grid	<input type="checkbox"/> RII	<input type="checkbox"/> C Custom	90 CRI
<input type="checkbox"/> MLS3-CTR	<input type="checkbox"/> S Screw Slot	Specify pattern on page 3	Custom Lumen Packages. Lumen Packages with ASO diffuser.	<input type="checkbox"/> 30K
			Contact Mercury Lighting.	<input type="checkbox"/> 35K
				<input type="checkbox"/> 40K

6	7	8	9
DIFFUSER	DRIVER	FINISH	VOLTAGE
<input type="checkbox"/> ASO Opal	<input type="checkbox"/> 1% 0-10V 1% Dimming	<input type="checkbox"/> <input type="checkbox"/> W White	<input type="checkbox"/> UNIV 120VAC-277 VAC
	<input type="checkbox"/> SR Sensor Ready*	<input type="checkbox"/> B Black	
	<input type="checkbox"/> - As Specified	<input type="checkbox"/> G Gray	
	*Required for Certain Controls, Consult Mercury Lighting for additional information.	<input type="checkbox"/> C Custom	
		Custom powder coat color matching is available for a setup fee.	
		Consult Mercury Lighting for additional information.	

PATTERN CONFIGURATOR

Use grid below to sketch desired pattern

